



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/547,288	04/11/2000	Nir N. Shavit	1004-4663	4871

22120 7590 10/21/2003

ZAGORIN O'BRIEN & GRAHAM LLP  
401 W 15TH STREET  
SUITE 870  
AUSTIN, TX 78701

EXAMINER

LI, AIMEE J

ART UNIT	PAPER NUMBER
----------	--------------

2183

DATE MAILED: 10/21/2003

9

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/547,288

Applicant(s)

SHAVIT ET AL.

Examiner

Aimee J Li

Art Unit

2183

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 07 August 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-43 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-43 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____  |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                         | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) <u>3</u> . | 6) <input type="checkbox"/> Other:  |

### DETAILED ACTION

1. Claims 1-43 have been considered. Claims 37 has been amended as requested by Applicant.

#### *Information Disclosure Statement*

2. Examiner has attached a replacement copy of the IDS statement received by the office on 16 August 2000. The copy sent with the first Office Action on 07 April 2003 was missing initials for entry AQ. The literature had been provided and considered at that time. The missing initials were an oversight on the Examiner's behalf.

#### *Claim Rejections - 35 USC § 103*

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-9, 15-24, and 32-41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mark Allen Weiss's Data Structures and Algorithm Analysis in C++ Second Edition © 1999 (herein referred to as Weiss) in view of Arnold, EPO 0366585 A2 (herein referred to as Arnold).

5. Referring to claim 1, Weiss has taught a method of managing access to an array susceptible to concurrent operations on a sequence encoded therein, the method comprising:
  - a. Executing as part of a pop operation, an operation to atomically update a then-current, end identifying index for the array and a element of the array adjacent to that identified by the end identifying index (Weiss pages 110-114)

- b. Returning from the operation, on failure thereof, an indication by which an empty state of the array is detectable (Weiss pages 72 and 110-114).
- 6. Weiss has not taught a double compare and swap (DCAS) as the specific operation. Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.
- 7. Referring to claim 2, Weiss has taught wherein the indication by which the empty state of the array is detectable is indicative of presence of a distinguishing value in the adjacent element (Weiss pages 110-114).
- 8. Referring to claim 3, Weiss has taught wherein the array encodes a double-ended queue as a circular buffer of bounded size, the end identifying index and an opposing end identifying index delimiting the sequence (Weiss pages 110-114)
- 9. Referring to claim 4, Weiss has taught:
  - a. Wherein the pop operation is a left pop operation (Weiss pages 110-114)
  - b. Wherein the end identifying index is a left-end index (Weiss pages 110-114)
  - c. Wherein the adjacent element is to the right of the identified element (Weiss pages 110-114).
- 10. Referring to claim 5, Weiss has taught:

- a. Wherein the pop operation is a right pop operation (Weiss pages 110-114)
- b. Wherein the end identifying index is a right-end index (Weiss pages 110-114)
- c. Wherein the adjacent element is to the left of the identified element (Weiss pages 110-114).

11. Referring to claim 6, Weiss has taught a method of managing access to an array susceptible to concurrent operations on a sequence encoded therein, the method comprising:

- a. Executing as part of a push operation, an operation to atomically update a then-current, end identifying index for the array and an element of the array identified by the end identifying index (Weiss pages 110-114)
- b. Returning from the operation, on failure thereof, an indication by which a full state of the array is detectable (Weiss pages 72 and 110-114).

12. Weiss has not taught a double compare and swap (DCAS) as the specific operation.

Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

13. Referring to claim 7, Weiss has taught wherein the indication by which the full state of the array is detectable is indicative of absence of a distinguishing value in the identified element (Weiss pages 110-114).

Art Unit: 2183

14. Referring to claim 8, Weiss has taught:
  - a. Wherein the push operation is a left push operation (Weiss pages 110-114)
  - b. Wherein the end identifying index is a left-end index (Weiss pages 110-114).
15. Referring to claim 9, Weiss has taught:
  - a. Wherein the push operation is a right push operation (Weiss pages 110-114)
  - b. Wherein the end identifying index is a right-end index (Weiss pages 110-114).
16. Referring to claim 15, Weiss has taught a method of managing concurrent access to a double-ended queue (deque), the method comprising:
  - a. Employing, in an implementation of a pop operation, execution of an operation to interrogate instantaneous values of a first end index and a deque element adjacent to that identified thereby for a signature indicative of an empty state of the array, the signature including presence in that adjacent element of a distinguishing value (Weiss pages 110-114)
  - b. Wherein successful execution of an opposing end pop operation includes ' execution of an operation to atomically update a second end index and a deque element adjacent to that identified thereby, the update of that adjacent element storing the distinguishing value therein (Weiss pages 110-114)
17. Weiss has not taught a double compare and swap (DCAS) as the specific operation. Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it

Art Unit: 2183

would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

18. Referring to claim 16, Weiss has taught the method further comprising wherein successful execution of a competing, same end pop operation includes execution of an operation to atomically update the first end index and a deque element adjacent to that identified thereby, the update of that adjacent element storing the distinguishing value therein. Weiss has not taught a double compare and swap (DCAS) as the specific operation. Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

19. Referring to claim 17, Weiss has taught:

- a. Wherein the first end index is a left index and, if the state of the deque is nonempty, the deque element adjacent to that identified thereby is a left most element of the deque (Weiss pages 79-80 and 110-114);
- b. Wherein the second end index is a right index and, if the state of the deque is non-empty, the deque element adjacent to that identified thereby is the right most element of the deque (Weiss pages 79-80 and 110-114).

20. Referring to claim 18, Weiss has taught:

- a. Wherein the pop operation is a left pop operation and the opposing end pop operation is a right pop operation (Weiss pages 110-114); and
  - b. Wherein the first end index is a left end index and the element adjacent to that identified thereby is adjacent to the right (Weiss pages 110-114).
21. Referring to claim 19, Weiss has taught wherein the distinguishing value is encoded as a null value (Weiss pages 71-72).
22. Referring to claim 20, Weiss has taught the method further comprising:
- a. Employing, in an implementation of a push operation, execution of an operation to interrogate instantaneous values of a third end index and a deque element identified thereby for a signature indicative of an full state of the deque, the signature including absence in that identified deque element of a distinguishing value (Weiss pages 110-114),
  - b. Wherein successful execution of an opposing end push operation includes execution of an operation to atomically update a fourth end index and a deque element identified thereby, the update of the identified deque element storing a value other than the distinguishing value therein (Weiss pages 110-114).
23. Weiss has not taught a double compare and swap (DCAS) as the specific operation. Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was



Art Unit: 2183

made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

24. Referring to claim 21, Weiss has taught:

- a. Wherein the first end index and the third end index identify a same end of the deque (Weiss pages 110-114); and
- b. Wherein the second end index and the fourth end index identify a same end of the deque (Weiss pages 110-114).

25. Referring to claim 22, Weiss has taught:

- a. Wherein the first end index and the fourth end index identify a same end of the deque (Weiss pages 110-114); and
- b. Wherein the second end index and the third end index identify a same end of the deque (Weiss pages 110-114).

26. Referring to claim 23, Weiss has taught a method of managing concurrent access to a double-ended queue (deque), the method comprising:

- a. Employing, in an implementation of a push operation, execution of an operation to interrogate instantaneous values of a first end index and a deque element identified thereby for a signature indicative of a full state of the deque, the signature including absence in that identified deque element of a distinguishing value (Weiss pages 110-114),
- b. Wherein successful execution of an opposing end push operation includes execution of an operation to atomically update an opposing end index and a deque

element identified thereby, the update of the identified deque element storing a value other than the distinguishing value therein (Weiss pages 110-114).

27. Weiss has not taught a double compare and swap (DCAS) as the specific operation. Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

28. Referring to claim 24, Weiss has taught the method further comprising wherein successful execution of a competing, same end push operation includes execution of a DCAS to atomically update the first end index and a deque element identified thereby, the update of that adjacent element storing a value other than the distinguishing value therein (Weiss pages 110-114).

29. Referring to claims 32-35, Weiss has taught a double-ended queue (deque) implementation comprising:

- a. A contiguous array S of bounded size encoded in an addressable store (Applicant's claim 32) (Weiss pages 110-114);
- b. A left index L and a right index R into the contiguous array, the contiguous array S, the left index L and the right index R together defining a circular buffer with state including a sequence of zero or more values encoded in the contiguous array

between elements S[L] and S[R] thereof (Applicant's claim 32) (Weiss pages 110-114)

- c. A computer readable encoding of at least a first access operation, execution of the first access operation operating at a particular end of the sequence and employing an operation to atomically update a corresponding one, but not both, of the left and right indices L and R and an element of the contiguous array adjacent to the contiguous array element identified thereby (Applicant's claim 32) (Weiss pages 110-114).
- d. Wherein the first access operation includes a push (Applicant's claim 33) (Weiss pages 110-114)
- e. Wherein, on failure, the operation returns an indication by which a full state of the contiguous array is detected (Applicant's claim 33) (Weiss pages 110-114).
- f. Wherein the first access operation includes a pop (Applicant's claim 34) (Weiss pages 110-114)
- g. Wherein, on failure, the operation returns an indication by which an empty state of the contiguous array is detected (Applicant's claim 34) (Weiss pages 110-114).
- h. Computer readable encodings of at least three additional access operations (Applicant's claim 35) (Weiss pages 110-114),
- i. Wherein the first and the three additional access operations together include push and pop operations at left and rights end of the sequence, respectively (Applicant's claim 35) (Weiss pages 110-114).

Art Unit: 2183

30. Weiss has not taught a double compare and swap (DCAS) as the specific operation.

Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

31. Referring to claim 36, Weiss has taught a concurrent shared object implementation comprising:

- a. A contiguous array encoded in an addressable store (Weiss pages 110-114);
- b. Opposing indices into the contiguous array usable to delimit there between a portion of the contiguous array for storage of a sequence of zero or more data values (Weiss pages 110-114)
- c. A computer readable encoding of push and pop operations defined to operate on elements of the contiguous array and on respective of the opposing indices (Weiss pages 110-114),
- d. Wherein the push operation employs a first instance of an operation to atomically update one of the opposing indices and a corresponding element of the contiguous array while returning on failure, an indication by which a full state of the contiguous array is detected (Weiss pages 110-114), and

- e. Wherein the pop operation employs a second instance of an operation to atomically update one of the opposing indices and a corresponding element of the contiguous array while returning on failure, an indication by which an empty state of the contiguous array is detected (Weiss pages 110-114).

32. Weiss has not taught a double compare and swap (DCAS) as the specific operation.

Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

33. Referring to claim 37, Weiss has taught:

- a. Wherein concurrent shared object includes a deque (Weiss pages 110-114); and
- b. Wherein the computer readable encoding of push and pop operations includes: opposing end variants of the pop operation; and opposing end variants of the push operation (Weiss pages 110-114).

34. Referring to claim 38, Weiss has taught:

- a. Wherein concurrent shared object includes a queue or FIFO (Weiss pages 110-114); and
- b. Wherein the computer readable encoding of push and pop operations operate on opposing ends of the queue or FIFO (Weiss pages 110-114).

Art Unit: 2183

35. Referring to claim 39, Weiss has taught:

- a. Wherein concurrent shared object includes a stack or LIFO (Weiss page 93); and
- b. Wherein the computer readable encoding of push and pop operations operate on a same end of the stack or LIFO (Weiss pages 93-100).

36. Referring to claim 40, Weiss has taught a computer program product encoded in at least one computer readable medium, the computer program product comprising:

- a. At least one functional sequence implementing an access operation on a concurrent shared object, the concurrent shared object instantiable circular buffer of bounded size implementing a contiguous array delimited by a pair of end identifying indices (Weiss pages 110-114);
- b. Instances of the at least one functional sequence concurrently executable by plural processors of a multiprocessor and each including an operation to atomically update a corresponding one of the end identifying indices and an element of the array corresponding to a then-current value thereof (Weiss pages 110-114); and
- c. The operation of the at least one functional sequence responsive to a corresponding boundary condition state of the concurrent shared object (Weiss pages 110-114).

37. Weiss has not taught a double compare and swap (DCAS) as the specific operation.

Arnold has taught using a DCAS as part of a push or pop operation (Arnold pages 2-3). It would have been obvious to a person of ordinary skill in the art to incorporate the DCAS operation of Arnold, because the DCAS would eliminate the need for a locking mechanism, which degrades performance, and allows multiple processes to access the shared data at once. Therefore, it

Art Unit: 2183

would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the DCAS of Arnold in the device of Weiss to improve processing performance.

38. Referring to claim 41, Weiss has taught:

- a. Wherein the at least one functional sequence includes opposing end variants of push and pop operations on the concurrent shared object (Weiss pages 110-114);
- b. Wherein the boundary condition state corresponding to push operations is a full state of the array (Weiss pages 110-114); and
- c. Wherein the boundary condition state corresponding to pop operations is an empty state of the array (Weiss pages 110-114).

39. Claim 42 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mark Allen Weiss's Data Structures and Algorithm Analysis in C++ Second Edition © 1999 (herein referred to as Weiss) in view of Arnold, EPO 0366585 A2 (herein referred to as Arnold) as applied to claims 40-41 above, and further in view of David A. Patterson and John L. Hennessy's Computer Architecture A Quantitative Approach Second Edition ©1996 (herein referred to as Hennessy).

Weiss has not taught wherein the at least one computer readable medium is selected from the set of a disk, tape or other magnetic, optical, or electronic storage medium and a network, wireline, wireless or other communications medium. Hennessy has taught wherein the at least one computer readable medium is selected from the set of a disk, tape or other magnetic, optical, or electronic storage medium and a network, wireline, wireless or other communications medium (Hennessy pages 485-495 and 562-572). It would have been obvious to a person of ordinary skill in the art to incorporate the computer readable mediums of Hennessy, because the data and

Art Unit: 2183

processes must be stored somewhere accessible by the computer for use. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the computer readable mediums of Hennessy in the device of Weiss.

40. Claims 10-14, 25-31, and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arnold, EPO 0366585 A2 (herein referred to as Arnold) in view of Douglas Comer's Operating System Design: The Xino Approach ©1984 (herein referred to as Comer).

41. Referring to claim 10, Arnold has taught a method of providing concurrent access to a double-ended data structure of bounded size implemented using a circular buffer technique, the method comprising:

- a. As part of an access to a first-end of the double-ended data structure, performing in alternate legs of a conditional branch:
  - i. A first multi-way compare and swap on then-current contents of a first-end index store and a corresponding element of the double-ended data structure to disambiguate a retry state and a state of the double-ended data structure (Arnold pages 2-3);
  - ii. A second multi-way compare and swap on then-current contents of the first-end index store and a corresponding element of the double-ended data structure, the second multi-way compare and swap performing the access and, on failure thereof, returning an indication disambiguating a retry state and the state of the double-ended data structure (Arnold pages 2-3),
- b. Wherein the conditional branch discriminates between presence and absence of a distinguishing value in an element of the double-ended data structure



corresponding to the then-current contents of the first-end index store (Arnold pages 2-3).

42. Arnold has not taught detecting a boundary condition state of the double-ended data structure. Comer has taught detecting a boundary condition state of the double-ended data structure (Comer pages 41-42). It would have been obvious to a person of ordinary skill in the art to incorporate the detection of Comer, because in a double-ended data structure boundary conditions must be monitored so an error does not occur. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the detection of Comer in Arnold to prevent errors.

43. Referring to claim 11, Arnold has taught:

- a. Wherein the access includes a pop from the first-end of the double-ended data structure (Arnold page 2, lines 26-27);
- b. Wherein the retry state results from a concurrently performed push or pop access at the first-end of the double-ended data structure (Arnold pages 2-3).

44. Arnold has not taught wherein the boundary condition state is an empty state of the double-ended data structure. Comer has taught wherein the boundary condition state is an empty state of the double-ended data structure (Comer pages 41-43). It would have been obvious to a person of ordinary skill in the art to incorporate the boundary condition state of Comer, because when this condition is not treated separately, errors occur. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the boundary condition of Comer in the device of Arnold.

45. Referring to claim 12, Arnold has taught:

- a. Wherein the access includes a push onto the first-end of the double-ended data structure (Arnold page 2, lines 26-27);
- b. Wherein the retry state results from a concurrently performed push or pop access at the first-end of the double-ended data structure (Arnold pages 2-3).

46. Arnold has not taught wherein the boundary condition state is a full state of the double-ended data structure. Comer has taught wherein the boundary condition state is a full state of the double-ended data structure (Comer pages 41-43). It would have been obvious to a person of ordinary skill in the art to incorporate the boundary condition state of Comer, because when this condition is not treated separately, errors occur. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the boundary condition of Comer in the device of Arnold.

47. Referring to claim 13, Arnold has taught wherein the double-ended data structure includes a double-ended queue (deque) (Arnold page 2, lines 5-7).

48. Referring to claim 14, wherein the multi-way compare and swap is a double compare and swap (DCAS) (Arnold pages 2-3).

49. Referring to claim 25, Arnold has taught a method of managing concurrent access to an array susceptible to competing accesses at same and opposing ends thereof, the method comprising:

- a. Executing as part of a first access operation, a double compare and swap (DCAS) to atomically update a first end identifying index and an element of the array corresponding to a then-current value thereof;

- b. Executing as part of a competing second access operation, a DCAS to atomically update a second end identifying index and an element of the array corresponding to a then-current value thereof,
- c. Wherein, if successful completion of one of the first and the second competing access operations results in a certain state of the array, the DCAS of the other of the first and the second access operations fails and returns an indication thereof.

50. Arnold has not taught a boundary condition state as the certain state of the array. Comer has taught a boundary condition state of the array (Comer pages 41-42). It would have been obvious to a person of ordinary skill in the art to incorporate the detection of Comer, because in a double-ended data structure boundary conditions must be monitored so an error does not occur. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the detection of Comer in Arnold to prevent errors.

51. Referring to claim 26, Arnold has taught:

- a. Wherein the first access operation and the competing second access operation are competing pop operations (Arnold page 2, lines 26-27).
- b. Wherein the adjacent element referenced by the failing one of the competing pop operations encodes a distinguishing value signifying the empty state (Arnold pages 2-3).

52. Arnold has not taught:

- a. Wherein the array elements corresponding to the first and second indices are each adjacent to that identified by the respective index
- b. Wherein the boundary condition state is an empty state

Art Unit: 2183

53. Comer has taught:

- a. Wherein the array elements corresponding to the first and second indices are each adjacent to that identified by the respective index (Comer pages 41-43)
- b. Wherein the boundary condition state is an empty state (Comer pages 41-43)

54. It would have been obvious to a person of ordinary skill in the art to incorporate the array of Comer, because it is necessary to track the beginning and end of an array as well as the bound condition states of the array to ensure correct execution of push and pop operations. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the array of Comer in the device of Arnold.

55. Referring to claim 27, Arnold has taught wherein the competing pop operations are competing opposing end pop operations (Arnold page 2, lines 26-27). Arnold has not taught wherein the first index and the second index identify opposing ends of the array. Comer has taught wherein the first index and the second index identify opposing ends of the array (Comer pages 41-43). It would have been obvious to a person of ordinary skill in the art to incorporate the first index and second index of Comer, because the beginning and end of the array must be tracked in order not to lose the array and to know where to insert and remove elements.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the first index and second index of Comer in the device of Arnold.

56. Referring to claim 28, Arnold has taught wherein the competing pop operations are competing same end pop operations (Arnold page 2, lines 26-27). Arnold has not taught wherein the first index and the second index identify a same end of the array. Comer has taught wherein

Art Unit: 2183

the first index and the second index identify a same end of the array (Comer pages 41-43). It would have been obvious to a person of ordinary skill in the art to incorporate the first index and second index of Comer, because the beginning and end of the array must be tracked in order not to lose the array and to know where to insert and remove elements. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the first index and second index of Comer in the device of Arnold.

57. Referring to claim 29, Arnold has taught:

- a. Wherein the first access operation and the competing second access operation are competing push operations (Arnold page 2, lines 26-27);
- b. Wherein the array element referenced by the failing one of the competing push operations encodes a value other than a distinguishing value (Arnold pages 2-3).

58. Arnold has not taught:

- a. Wherein the array elements corresponding to the first and second indices are each identified by the respective index;
- b. Wherein the boundary condition state is an full state; and

59. Comer has taught:

- a. Wherein the array elements corresponding to the first and second indices are each identified by the respective index (Comer pages 41-43);
- b. Wherein the boundary condition state is an full state (Comer pages 41-43);

60. It would have been obvious to a person of ordinary skill in the art to incorporate the array of Comer, because it is necessary to track the beginning and end of an array as well as the bound condition states of the array to ensure correct execution of push and pop operations. Therefore, it

Art Unit: 2183

would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the array of Comer in the device of Arnold.

61. Referring to claim 30, Arnold has taught wherein the competing push operations are competing opposing end push operations (Arnold page 2, lines 26-27). Arnold has not taught wherein the first index and the second index identify opposing ends of the array. Comer has taught wherein the first index and the second index identify opposing ends of the array (Comer pages 41-43). It would have been obvious to a person of ordinary skill in the art to incorporate the first index and second index of Comer, because the beginning and end of the array must be tracked in order not to lose the array and to know where to insert and remove elements.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the first index and second index of Comer in the device of Arnold.

62. Referring to claim 31, Arnold has taught wherein the competing push operations are competing same end push operations (Arnold page 2, lines 26-27). Arnold has not taught wherein the first index and the second index identify a same end of the array. Comer has taught wherein the first index and the second index identify a same end of the array (Comer pages 41-43). It would have been obvious to a person of ordinary skill in the art to incorporate the first index and second index of Comer, because the beginning and end of the array must be tracked in order not to lose the array and to know where to insert and remove elements. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the first index and second index of Comer in the device of Arnold.

63. Referring to claim 43, Arnold has taught an apparatus comprising:

Art Unit: 2183

- a. Plural processors (Arnold page 2, line 1);
- b. A store addressable by each of the plural processors (Arnold page 2);
- c. First- and second-end index stores accessible to each of the plural processors for identifying opposing ends of a bounded-size contiguous array encoded in circular buffer form in the addressable store (Arnold pages 2-3); and
- d. Means for coordinating competing access operations, the coordinating means employing in each instance thereof, at least one double compare and swap (DCAS) operation to disambiguate a retry state and a state of the array based on then-current contents of one, but not both, of first- and second-end index stores and an array element corresponding thereto (Arnold pages 2-3).

64. Arnold has not taught detecting a boundary condition state of the double-ended data structure. Comer has taught detecting a boundary condition state of the double-ended data structure (Comer pages 41-42). It would have been obvious to a person of ordinary skill in the art to incorporate the detection of Comer, because in a double-ended data structure boundary conditions must be monitored so an error does not occur. Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to incorporate the detection of Comer in Arnold to prevent errors.

***Response to Arguments***

- 65. Examiner withdraws objection to claim 37 in favor of the amended claim.
- 66. Applicant's arguments filed 07 August 2003 have been fully considered but they are not persuasive.
- 67. Applicant argues on page 13, paragraph 3 essentially:

*“Neither the combination of the Arnold reference with the Weiss reference nor the combination of the Arnold reference with the Comer references teaches Applicant’s claimed invention at least because none of the references disclose a double compare and swap operation or multi-way compare and swap operation to both update an array and return an indication of the state of the array as found in Applicant’s claims.”*

68. This has not been found persuasive. Weiss combined with Arnold teaches and rejected under 35 USC § 103(a), as recited above. Weiss has taught, in general, how to update the array and return an indication of the state of the array. He has shown that when an element is deleted, or popped, an update must be made to the identifier of the end of the array and the element before the new end, i.e. the element adjacent to the new end, by changing whether it is identified as the end of the array or not. Popping an item fails when the array is empty, as seen in Weiss on page 114, Figure 3.61. The code states “if (is Empty()); throw Underflow”. The indication of the empty state of the array is the Underflow. Weiss has taught that these operations are essential when manipulating an array (Weiss pages 110-114). Arnold was brought in as a secondary reference to explicitly teach the double compare and swap, which is taught on pages 1-2 in Arnold. The combination of the two references has taught the limitations of the claims.

69. Applicant argues on page 13, paragraph 4 essentially

*“First, the Weiss reference does not disclose a method or structure suitable for managing access to an array susceptible to concurrent operations thereon....Accordingly, and specifically, the techniques of the Weiss reference do*



**not include any** operation to atomically update any two quantities, let alone any operation that returns an indication of an array's state..."

70. This has not been found persuasive. First, Weiss has taught a method or structure suitable for managing access to an array on pages 110-114. Weiss specifically has taught methods and structures for inserting, or pushing, and deleting, or popping, data in the array. Whether the array is susceptible to concurrent operations is not in the body of the claim, and the limitations within the body of the claim may be applicable to arrays that are NOT susceptible to concurrent operations. In response to applicant's arguments, the recitation "a method or structure suitable for managing access to an array susceptible to concurrent operations thereon" has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951).

71. Secondly, Weiss's operation of inserting and deleting elements from the array update multiple quantities necessary for the array to function properly. As can be seen on pages 110-114 of Weiss, the beginning or ending identifier must be updated depending on the operation so that the beginning or ending identifier is correct. A new value must be updated to reflect that it is the new beginning or ending identifier and the adjacent value must be updated to reflect that it is no longer the beginning or ending identifier. The size of the array must also be updated. As

Art Unit: 2183

for the indication of the array's status, as stated above, the insertion and deletion operations test whether the array is empty or full and indicate this with a Underflow or Overflow signal.

72. Applicant argues on page 14, paragraph 3 essentially

*"...Comer reference does not disclose or suggest detecting a boundary condition state of a double ended queue data structure, let alone disambiguating between a retry state and a boundary condition state based on an indication returned by a DCAS or multi-way compare and swap."*

73. This has not been found persuasive. Comer has taught that the boundary state is denoted by a NULL condition (Comer page 42, "As expected, the successor of the tail and the predecessor of the head are NULL"). To find the location of the head and tail, or the beginning and end of the array, the NULL condition at the successor or predecessor positions must be detected. These are the boundary condition searched for when determining the head and tail of the array. Also, Comer was not relied upon to teach disambiguating between a retry state and a boundary condition state based on an indication returned by a DCAS or multi-way compare and swap. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

74. Applicant argues on page 13, paragraph 4 to page 14, paragraph 1 and page 14, paragraph 6 to page 15, paragraph 1 essentially

*“The Weiss reference never discloses atomically updating an array. ...In contrast, the DCAS disclosed in Applicant’s claims modifies an array and returns an indication of the state of the array if the attempt fails. ...”*

75. This has not been found persuasive. Weiss on page 69, paragraph 4 to page 70, paragraph 2 has taught that error handling and tie breaking are set by the designer. This means that the designer can make operations atomic by not allowing other functions to interrupt processes to cause errors and/or prevent other applications from accessing the same resource by locking the resource. This is commonly known and done in the art. Please see the arguments above with regard to the return indication in Weiss.

76. Applicant argues on page 14, paragraph 2 and on page 15, paragraphs 2-4 essentially

*“...Arnold reference does not disclose or suggest a DCAS or multi-way compare and swap...*

*...*

*A double compare and swap operation and a CDS operation perform different operations. ...”*

77. This has not been found persuasive. Arnold has the compare and swap disjoint operation (CSD), which functions similarly to Applicant’s CDAS. The CSD performs two compares and two assignments are dependent on these compares (Arnold page 5, lines 22-52 and Figure 2). Also, the limitations being argued are not found in the claim. The claim only states that there is a CDAS present, but does explicitly state that it must function in the manner described in the arguments. A double compare and swap operation may be defined as Applicant has argued, but a person of ordinary skill in the art could also use the definition of a compare and swap of data

Art Unit: 2183

that is of the double data type, as shown in Arnold. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., The DCAS operation performs at least two different compares and either performs two different assignments or does not perform the assignments, depending on the result of the compares.) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

78. Applicant argues on page 16, paragraphs 2-3 essentially

*“Neither the Arnold reference nor the Comer reference disclose operations that manipulate an array and provide indication of the array's state. ... **The CAL and CDS operations disclosed in the Arnold reference do not provide any indication of the state of an array.** The Comer reference discloses Boolean functions for testing states of an array, but these disclosed functions only determine the state of an array and do not update an array.”*

79. This has not been found persuasive. The Arnold and Comer references were combined because one reference teaches the deficiency found in the other reference, as stated in the rejection above. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

### ***Conclusion***

Art Unit: 2183

80. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

81. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


82. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aimee J Li whose telephone number is (703) 305-7596. The examiner can normally be reached on M-T 7:30am-5:00pm.

83. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (703) 305-9712. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

84. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Aimee J. Li  
Examiner  
Art Unit 2183

October 16, 2003



EDDIE CHAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100